



now part of Intel

Revision: 2.0.0

PCN Issue Date: 05/12/2016

PROCESS CHANGE NOTIFICATION

Final Notification

PCN1512

Solder Paste (Inductor Attach) Change for Power Products in QFN Package

This is not a new PCN issuance. This is an update to PCN1512 revision 1.0.0 Advance Notification. Please see the [revision history](#) table for information specific to this update.

Change Description:

Altera® announces an upcoming change to the Bill of Materials (BOM), specifically the Solder paste, for the following:

Package: QFN
Product Family: All Power Products

See complete list of part numbers (OPNs) in [Appendix 1](#).

Table 1: Package BOM Change

Material	Change From	Change To
Solder paste (Inductor attach)	Sn95/Sb5	SAC 305

SAC 305 is a widely used, industry standard, Antimony (Sb)-free solder paste.

The rest of the BOM (die, inductor, leadframe, die attach adhesive, wirebond, mold compound and lead finish) remain the same.

Recommended Action:

Customers are requested to:

1. Acknowledge receipt of this notification.
2. Review this latest updated notification and provide feedback to Altera on the acceptance of the change.

Key milestones are listed in the "[Product Transition Dates](#)" Section: Table 2 for reference.

Reason for Change:

The existing solder contains Antimony (Sb) that falls under the restricted material list for many customers.

Changing to the SAC305 solder paste will enable compliance to the Antimony restriction, as well as standardization of the material set to a widely used, industry standard type of solder paste.

Impact and Benefit of Change:

This change enables compliance and readiness to customer trend of Antimony-free BOM.

There is also the benefit of process standardization by adopting industry standard solder paste SAC305.

There is no adverse impact to the product electrical and mechanical specification, device performance, and functionality.

Qualification will be performed to ensure that product quality and reliability continue to meet or exceed Altera and Industry requirements.

Products Affected:

See [Appendix 1](#) for the list of affected Ordering Part Numbers (OPN).

Means to Identify Changed Product:

Pre- and post-change products are deemed interchangeable. The product marking and identification will remain the same for both pre and post change products. However, traceability to identify the changed products will be available, and there will be no mixing of pre- and post- change products in the same lot.

Shipment of pre-change products will continue until inventory is depleted. For customers requiring Antimony-free compliance, a request must be submitted to Altera via sales or customer service and the team will review to set up an exception.

Product Transition Dates:

Customers are requested to take note of the key dates shown in Table 2.

Table 2

Milestone	Date
Advance customer notification issuance via PCN1512 revision 1.0.0	December 15, 2015
Request for customer acknowledgement that this updated notification was received ¹	June 6, 2016
Estimated 1 st ship date for the changed products (i.e., date the shipment of new product will start) ²	June 6, 2016
Estimated 1 st datecode with change applied	Datecode 1622

Note 1: JESD46D stipulates that a change is deemed acceptable if no response or acknowledgement is received within 30 days from the date of the notification.

Note 2: Effective the first ship date listed in Table 2, Altera will begin the general shipment of changed product (note that Advance Notification was issued in December 15, 2015 for this change). This is the earliest time the customer

will start to receive products applied with the change. First shipment specific to each product may vary depending on the inventory level. Earlier shipments of changed products may be exercised as exceptions and with approval from the customer.

Pre- and post-change products are deemed interchangeable.

Altera reserves the right to continue the shipment of pre-change product after the change implementation date until inventory is depleted. Customers without agreed restrictions or exceptions may receive shipments of either pre- or post- change products.

Qualification Data:

This change has successfully passed qualification testing. The changed product meets or exceeds Altera's quality and reliability requirements.

Table 3: Qualification Data

Test	JEDEC Standard and Conditions	Read points	# of Lots	Sample Size / lot	Results (Fail /SS)	Comments
HAST with Pre-conditioning	85% RH, 110C temp @ Vcc max JESD22-A110	264 hrs	7	25	0/175	PASS
Temperature Cycle With Pre-conditioning	-55C to +125C Condition B, Soak Mode 4 JESD22-A104	500 cycles	7	25	0/175	PASS
		700 cycles	7	25	0/175	PASS
		1000 cycles	7	25	0/175	PASS
uHAST	85% RH, 110C temp JESD22-A110	264 hrs	7	25	0/175	PASS

Vehicle Devices:

EP53A7HQI (16-pin QFN, 3x3x1.1 mm), EN2342QI (68-pin QFN, 8x11x3 mm),
EN63A0QI (76-pin QFN, 10x11x3 mm), EN6337QI (38-pin QFN, 4x7x1.85 mm)

Contact:

For more information, please contact the Altera Sales or Customer Quality Engineering (CQE) in your region, or submit Service Request at Altera's [mySupport](#) website.

Customer Notifications Subscription:

Customers that have subscribed to Altera's customer notification mailing list will receive the PCN document automatically via email.

If you would like to receive customer notifications by email, please subscribe to our customer notification mailing list at:

<https://www.altera.com/subscriptions/email/signup/eml-index.jsp>

Altera references JESD46 guidelines for PCN. In accordance with JESD46D, the change is deemed acceptable to the customer if no acknowledgement is received within 30 days from the notification date.

Revision History:

Date	Rev	Description
12/15/2015	1.0.0	Initial Release. Advance Notification.
05/12/2016	2.0.0	Final Notification. Updated with completed qualification results.

Copyright © 2016 Altera Corporation. All rights reserved. Altera, The Programmable Solutions Company, the stylized Altera logo, specific device designations, and all other words and logos that are identified as trademarks and/ or service marks are, unless noted otherwise, the trademarks and service marks of Altera Corporation in the U.S. and other countries. All other product or service names are the property of their respective holders. Altera products are protected under numerous U.S. and foreign patents and pending applications, mask work rights, and copyrights. Altera warrants performance of its semiconductor products to current specifications in accordance with Altera's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Altera assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Altera Corporation. Altera customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

Appendix 1: Affected Ordering Part Numbers

Affected OPNs	
EN2340QI	EN6337QI
EN2342QI	EN6347QI
EN2360QI	EN6360QI
EN2390QI	EN63A0QI
EN2392QI	EP5348UI
EN23F0QI	EP5352QI
EN23F2QI	EP5357HUI
EN5311QI	EP5357LUI
EN5312QI	EP5358HUI
EN5319QI	EP5358LUI
EN5322QI	EP5362QI
EN5329QI	EP5368QI
EN5335QI	EP5382QI
EN5336QI	EP5387HQI
EN5337QI	EP5387LQI
EN5339QI	EP5388QI
EN5364QI	EP53A7HQI
EN5365QI	EP53A7LQI
EN5366QI	EP53A8HQI
EN5367QI	EP53A8LQI
EN5394QI	EP53F8QI
EN5395QI	EV1340QI
EN5396QI	EV1380QI
EN6310QI	EX3AV

[Back to 1st page](#)